Material Safety Data Sheet

Version 4.3 Revision Date 01/07/2013 Print Date 01/05/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Chlorobenzene

Product Number : 284513 Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, Harmful by ingestion.

Target Organs

Liver, Kidney, Central nervous system, Thymus., Spleen., Bone marrow, Lungs, Testes.

GHS Classification

Flammable liquids (Category 3)
Acute toxicity, Oral (Category 4)
Acute toxicity, Inhalation (Category 4)
Acute aquatic toxicity (Category 2)
Chronic aquatic toxicity (Category 2)

GHS Label elements, including precautionary statements



Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapour. H302 + H332 Harmful if swallowed or if inhaled

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

HMIS Classification

Pictogram

Health hazard: 1 Flammability: 3 Physical hazards: 0

NFPA Rating

Health hazard: 2

Sigma-Aldrich - 284513 Page 1 of 7

Fire: 3
Reactivity Hazard: 0

Potential Health Effects

InhalationSkinMay be harmful if inhaled. May cause respiratory tract irritation.Harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C_6H_5CI Molecular Weight : 112.56 g/mol

| 90 - 100 % |
|------------|
| |
| |
| |

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Sigma-Aldrich - 284513 Page 2 of 7

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value | Control parameters | Basis | |
|---------------|---|-------|---------------------|--|--|
| Chlorobenzene | 108-90-7 | TWA | 10 ppm | USA. ACGIH Threshold Limit Values (TLV) | |
| Remarks | Liver damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans | | | | |
| | | TWA | 75 ppm 350 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 | |
| | | TWA | 75 ppm 350 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | |
| | The value in mg/m3 is approximate. | | | | |
| | See Appendix D - Substances with No Established RELs | | | | |

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash protection

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Sigma-Aldrich - 284513 Page 3 of 7

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid, clear Colour colourless

Safety data

pH no data available

Melting point/range: -45 °C (-49 °F) - lit.

point/freezing point

Boiling point 132 °C (270 °F) - lit.

Flash point 27.0 °C (80.6 °F) - closed cup

Ignition temperature 637 °C (1,179 °F)
Auto-ignition 637.0 °C (1,178.6 °F)

temperature

Lower explosion limit 1.3 %(V)
Upper explosion limit 7.1 %(V)

Vapour pressure 15.7 hPa (11.8 mmHg) at 25.0 °C (77.0 °F)

Density 1.106 g/cm3 at 25 °C (77 °F)

Water solubility no data available Partition coefficient: log Pow: 2.89

n-octanol/water

Relative vapor

density

no data available

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Strong oxidizing agents

Sigma-Aldrich - 284513 Page 4 of 7

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 1,110 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Tremor. Behavioral:Ataxia.

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion Harmful if swallowed.

Skin Harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Sigma-Aldrich - 284513 Page 5 of 7

Signs and Symptoms of Exposure

Incoordination., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: CZ0175000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC100 - Leuciscus idus (Golden orfe) - 0.03 - 28 mg/l - 48.0 h

LC50 - Cyprinodon variegatus (sheepshead minnow) - 10 mg/l - 96.0 h

LC50 - Lepomis macrochirus (Bluegill) - 4.5 - 7.4 mg/l - 76.0 h

NOEC - Cyprinodon variegatus (sheepshead minnow) - 6.2 mg/l - 96.0 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 4.30 - 16.00 mg/l - 24 h

EC50 - No information available. - 7.60 mg/l - 24 h

NOEC - Daphnia magna (Water flea) - < 1.4 mg/l - 11 d

LC50 - Daphnia magna (Water flea) - 10.7 mg/l - 48 h

Toxicity to algae EC50 - No information available. - 235.00 mg/l - 48 h

EC50 - Pseudokirchneriella subcapitata (green algae) - 12.50 mg/l - 96 h

Persistence and degradability

no data available

Bioaccumulative potential

Bioaccumulation Leuciscus idus (Golden orfe) - 3 d

Bioconcentration factor (BCF): 75

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1134 Class: 3 Packing group: III

Proper shipping name: Chlorobenzene

Sigma-Aldrich - 284513 Page 6 of 7

Reportable Quantity (RQ): 100 lbs

Marine Pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1134 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: CHLOROBENZENE

Marine Pollutant: No

IATA

UN number: 1134 Class: 3 Packing group: III

Proper shipping name: Chlorobenzene

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Harmful by ingestion.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Chlorobenzene CAS-No. Revision Date 108-90-7 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

| Oblambanana | CAS-No. | Revision Date |
|---------------------------------------|----------|---------------|
| Chlorobenzene | 108-90-7 | 2007-07-01 |
| Pennsylvania Right To Know Components | | |
| | CAS-No. | Revision Date |
| Chlorobenzene | 108-90-7 | 2007-07-01 |
| New Jersey Right To Know Components | | |
| • • | CAS-No. | Revision Date |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

108-90-7

2007-07-01

16. OTHER INFORMATION

Further information

Chlorobenzene

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 284513 Page 7 of 7