

## Material Safety Data Sheet

Version 4.2  
Revision Date 01/19/2012  
Print Date 03/22/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : *N,N*-Dimethylaniline

Product Number : 515124

Brand : Aldrich

Supplier : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832

Fax : +1 800-325-5052

Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation  
Product Safety - Americas Region  
1-800-521-8956

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

##### OSHA Hazards

Combustible Liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Irritant, Carcinogen

##### Target Organs

Blood, Central nervous system, Liver, Kidney, Spleen., Eyes

##### GHS Classification

Flammable liquids (Category 4)  
Acute toxicity, Oral (Category 3)  
Acute toxicity, Inhalation (Category 3)  
Acute toxicity, Dermal (Category 3)  
Skin irritation (Category 3)  
Eye irritation (Category 2A)  
Carcinogenicity (Category 2)  
Acute aquatic toxicity (Category 2)  
Chronic aquatic toxicity (Category 2)

##### GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H227	Combustible liquid
H301 + H311	Toxic if swallowed or in contact with skin
H316	Causes mild skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P311	Call a POISON CENTER or doctor/ physician.

**HMIS Classification**

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	2
Physical hazards:	0

**NFPA Rating**

Health hazard:	2
Fire:	2
Reactivity Hazard:	0

**Potential Health Effects**

Inhalation	Toxic if inhaled. Causes respiratory tract irritation.
Skin	Toxic if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	Toxic if swallowed.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula	: C <sub>8</sub> H <sub>11</sub> N
Molecular Weight	: 121.18 g/mol

Component		Concentration
<b>N,N-Dimethylaniline</b>		
CAS-No.	121-69-7	-
EC-No.	204-493-5	
Index-No.	612-016-00-0	

---

**4. FIRST AID MEASURES**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

**5. FIREFIGHTING MEASURES**

**Conditions of flammability**

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

**Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

**Further information**

Use water spray to cool unopened containers.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions**

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

**Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Basis
N,N-Dimethylaniline	121-69-7	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Methemoglobinemia Substances for which there is a Biological Exposure Index or Indices (see BEI® section), see BEI® for Methemoglobin Inducers Not classifiable as a human carcinogen Danger of cutaneous absorption			
		STEL	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Methemoglobinemia Substances for which there is a Biological Exposure Index or Indices (see BEI® section), see BEI® for Methemoglobin Inducers Not classifiable as a human carcinogen Danger of cutaneous absorption			
		TWA	5 ppm 25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Skin designation The value in mg/m3 is approximate.			
		TWA	5 ppm 25 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
	Skin notation			
		STEL	10 ppm 50 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
	Skin notation			

		TWA	5 ppm 25 mg/m3	USA. NIOSH Recommended Exposure Limits
	Also known as Dimethylaniline which is a correct synonym for Xylidine. Potential for dermal absorption			
		ST	10 ppm 50 mg/m3	USA. NIOSH Recommended Exposure Limits
	Also known as Dimethylaniline which is a correct synonym for Xylidine. Potential for dermal absorption			

## Personal protective equipment

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form	liquid
Colour	light yellow

### Safety data

pH	7.4 at 1.2 g/l at 20 °C (68 °F)
Melting point/freezing point	Melting point/range: 1.5 - 2.5 °C (34.7 - 36.5 °F) - lit.
Boiling point	193 - 194 °C (379 - 381 °F) - lit.
Flash point	75 °C (167 °F) - closed cup
Ignition temperature	317 °C (603 °F)
Autoignition temperature	no data available
Lower explosion limit	1 %(V)
Upper explosion limit	7 %(V)
Vapour pressure	13 hPa (10 mmHg) at 70 °C (158 °F) 1 hPa (1 mmHg) at 30 °C (86 °F)
Density	0.956 g/cm3 at 25 °C (77 °F)
Water solubility	ca.1 g/l

Partition coefficient: n-octanol/water	log Pow: 2.62
Relative vapour density	4.18 - (Air = 1.0)
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

---

## 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

no data available

### Conditions to avoid

Heat, flames and sparks.

### Materials to avoid

Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Chloroformates, Halogens

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

Other decomposition products - no data available

---

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Oral LD50

LD50 Oral - rat - 951 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Tremor. Cyanosis

#### Inhalation LC50

#### Dermal LD50

LD50 Dermal - rabbit - 1,692 mg/kg

#### Other information on acute toxicity

no data available

### Skin corrosion/irritation

Skin - rabbit - Mild skin irritation - 24 h

### Serious eye damage/eye irritation

Eyes - rabbit - Moderate eye irritation - 24 h

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

Genotoxicity in vitro - Hamster - Lungs

Micronucleus test

Genotoxicity in vitro - Hamster - ovary

Sister chromatid exchange

Genotoxicity in vivo - rat - Intraperitoneal

DNA damage

### Carcinogenicity

Carcinogenicity - rat - Oral

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Endocrine:Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (N,N-Dimethylaniline)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

no data available

#### **Teratogenicity**

no data available

#### **Specific target organ toxicity - single exposure (Globally Harmonized System)**

no data available

#### **Specific target organ toxicity - repeated exposure (Globally Harmonized System)**

no data available

#### **Aspiration hazard**

no data available

#### **Potential health effects**

<b>Inhalation</b>	Toxic if inhaled. Causes respiratory tract irritation.
<b>Ingestion</b>	Toxic if swallowed.
<b>Skin</b>	Toxic if absorbed through skin. Causes skin irritation.
<b>Eyes</b>	Causes eye irritation.

#### **Signs and Symptoms of Exposure**

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Damage to the eyes., Blood disorders

#### **Synergistic effects**

no data available

#### **Additional Information**

RTECS: BX4725000

---

## **12. ECOLOGICAL INFORMATION**

#### **Toxicity**

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 65.6 mg/l - 96.0 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 5 mg/l - 48 h

#### **Persistence and degradability**

Biodegradability	Biotic/Aerobic
	Result: 75 % - Readily biodegradable.

**Bioaccumulative potential**

Bioaccumulation      Oryzias latipes -  
Bioconcentration factor (BCF): 13.6

**Mobility in soil**

no data available

**PBT and vPvB assessment**

no data available

**Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

---

**13. DISPOSAL CONSIDERATIONS****Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****DOT (US)**

UN number: 2253    Class: 6.1                      Packing group: II  
Proper shipping name: N,N-Dimethylaniline  
Reportable Quantity (RQ): 100 lbs  
Marine pollutant: No  
Poison Inhalation Hazard: No

**IMDG**

UN number: 2253    Class: 6.1                      Packing group: II                      EMS-No: F-A, S-A  
Proper shipping name: N,N-DIMETHYLANILINE  
Marine pollutant: No

**IATA**

UN number: 2253    Class: 6.1                      Packing group: II  
Proper shipping name: N,N-Dimethylaniline

---

**15. REGULATORY INFORMATION****OSHA Hazards**

Combustible Liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Irritant, Carcinogen

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
N,N-Dimethylaniline	121-69-7	2007-07-01

**SARA 311/312 Hazards**

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

	CAS-No.	Revision Date
N,N-Dimethylaniline	121-69-7	2007-07-01

**Pennsylvania Right To Know Components**

N,N-Dimethylaniline

CAS-No.  
121-69-7Revision Date  
2007-07-01**New Jersey Right To Know Components**

N,N-Dimethylaniline

CAS-No.  
121-69-7Revision Date  
2007-07-01**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

**16. OTHER INFORMATION****Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

---